

# METAL MESH CEILING TILES

**ASIAN STRECK METALS**

**CUSTOMISED CEILING SOLUTIONS**




Quality & Customer Satisfaction

**STRETCHMET**


EXPANDED STRETCH METAL  
SUNSCREEN FACADE & ARCHITECTURAL MESH




SI. NO.	TECHNICAL DATA SHEET FOR METAL CEILINGS	
1	DESIGN NAME	Diamond -2
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised
3	MATERIAL THICKNESS	1mm
4	MATERIAL TYPE	MS-CRCA
5	MESH OPENING SIZE	SWM 10mm x LWM - 25mm
6	THICKNESS DIMENSIONS	Strand 2mm x Thickness 1mm
7	MESH PATTERN	DIAMOND
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.2 KGS Approx.
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.3 Kgs Approx.
10	GRID SIZE	24MM/15MM SHILLOUTED GRID
11	POWDER COATING	ANY RAL COLOR



Can be Placed on 15mm/24mm Grid




Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material




Can Be Coated to any RAL Colour



Recyclable & Reusable Material







TECHNICAL DATA SHEET FOR METAL CEILINGS		
1	DESIGN NAME	OMEGA-3
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised
3	MATERIAL THICKNESS	1mm
4	MATERIAL TYPE	MS-CRCA
5	MESH OPENING SIZE	SWM 13mm x LWM - 25mm
6	THICKNESS DIMENSIONS	Strand 2.5mm x Thickness 1mm
7	MESH PATTERN	HONEY COMB
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.3 KGS Approx.
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.4 Kgs Approx.
10	GRID SIZE	24MM/15MM SHILLOUTED GRID
11	POWDER COATING	ANY RAL COLOR
12		

Can be Placed on 15mm/24mm Grid

**METAL TEGULAR 8**



Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material

FIRE REACTION



EEA A2-s1,d0





Can Be Coated to any RAL Colour



Recyclable & Reusable Material







TECHNICAL DATA SHEET FOR METAL CEILINGS		
1	DESIGN NAME	MARINE-2.5
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised
3	MATERIAL THICKNESS	1mm
4	MATERIAL TYPE	MS-CRCA
5	MESH OPENING SIZE	SWM 12.5mm x LWM - 50mm
6	THICKNESS DIMENSIONS	Strand 2.5mm x Thickness 1mm
7	MESH PATTERN	HEXAGONAL
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.6 KGS Approx.
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.75 Kgs Approx.
10	GRID SIZE	24MM/15MM SHILLOUTED GRID
11	POWDER COATING	ANY RAL COLOR
12	 	

Can be Placed on 15mm/24mm Grid

**METAL TEGULAR 8**



Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material

FIRE REACTION



EEA A2-s1,d0



Can Be Coated to any RAL Colour



Recyclable & Reusable Material






SI. NO.	TECHNICAL DATA SHEET FOR METAL CEILINGS	
1	DESIGN NAME	PETALS
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised
3	MATERIAL THICKNESS	1.5mm
4	MATERIAL TYPE	MS-CRCA
5	MESH OPENING SIZE	SWM 30mm x LWM - 50/25mm
6	THICKNESS DIMENSIONS	Strand 4mm x Thickness 1.5mm
7	MESH PATTERN	LEAVES/FISH/WAVES
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.35 KGS Approx.
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.5 Kgs Approx.
10	GRID SIZE	24MM/15MM SHILLOUTED GRID
11	POWDER COATING	ANY RAL COLOR




Can be Placed on 15mm/24mm Grid

**METAL TEGULAR 8**



Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material

FIRE REACTION



EEA A2-s1,d0



Can Be Coated to any RAL Colour



Recyclable & Reusable Material







SI. NO.	TECHNICAL DATA SHEET FOR METAL CEILINGS	
1	DESIGN NAME	RUBY WAVE
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised
3	MATERIAL THICKNESS	1mm
4	MATERIAL TYPE	MS-CRCA
5	MESH OPENING SIZE	SWM 14mm x LWM - 75mm
6	THICKNESS DIMENSIONS	Strand 3mm x Thickness 1mm
7	MESH PATTERN	WAVES
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.70 KGS Approx.
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.85 Kgs Approx.
10	GRID SIZE	24MM/15MM SHILLOUTED GRID
11	POWDER COATING	ANY RAL COLOR



Can be Placed on 15mm/24mm Grid




Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material



Can Be Coated to any RAL Colour




Recyclable & Reusable Material







SI. NO.	TECHNICAL DATA SHEET FOR METAL CEILINGS	
1	DESIGN NAME	RUBY STAG
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised
3	MATERIAL THICKNESS	1.2mm
4	MATERIAL TYPE	MS-CRCA
5	MESH OPENING SIZE	SWM 16mm x LWM - 75mm
6	THICKNESS DIMENSIONS	Strand 3mm x Thickness 1.2mm
7	MESH PATTERN	STAGGERED
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.60 KGS Approx.
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.75 Kgs Approx.
10	GRID SIZE	24MM/15MM SHILLOUTED GRID
11	POWDER COATING	ANY RAL COLOR



Can be Placed on 15mm/24mm Grid




Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material





Can Be Coated to any RAL Colour



Recyclable & Reusable Material







SI. NO.		TECHNICAL DATA SHEET FOR METAL CEILINGS	
1	DESIGN NAME	PRISM	
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised	
3	MATERIAL THICKNESS	1mm	
4	MATERIAL TYPE	MS-CRCA	
5	MESH OPENING SIZE	SWM 16mm x LWM - 50/25mm	
6	THICKNESS DIMENSIONS	Strand 4mm x Thickness 1mm	
7	MESH PATTERN	MIXED HEXAGONALS	
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.70 KGS Approx.	
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.90 Kgs Approx.	
10	GRID SIZE	24MM/15MM SHILOUTED GRID	
11	POWDER COATING	ANY RAL COLOR	
12	 		

Can be Placed on 15mm/24mm Grid

**METAL TEGULAR 8**



Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material

FIRE REACTION



EEA A2-s1,d0





Can Be Coated to any RAL Colour



Recyclable & Reusable Material







SI. NO.	TECHNICAL DATA SHEET FOR METAL CEILINGS	
1	DESIGN NAME	AQUA-BIRD
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised
3	MATERIAL THICKNESS	0.8mm
4	MATERIAL TYPE	MS-CRCA
5	MESH OPENING SIZE	SWM 15mm x LWM - 75mm
6	THICKNESS DIMENSIONS	Strand 5mm x Thickness 0.8mm
7	MESH PATTERN	Hexagonal
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.7 KGS Approx.
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.85 Kgs Approx.
10	GRID SIZE	24MM/15MM SHILLOUTED GRID
11	POWDER COATING	ANY RAL COLOR
12	 	

Can be Placed on 15mm/24mm Grid

**METAL TEGULAR 8**



Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material

FIRE REACTION



EEA A2-s1,d0




Can Be Coated to any RAL Colour



Recyclable & Reusable Material







SI. NO.	TECHNICAL DATA SHEET FOR METAL CEILINGS	
1	DESIGN NAME	MARINE-BIRD
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised
3	MATERIAL THICKNESS	1.5mm
4	MATERIAL TYPE	MS-CRCA
5	MESH OPENING SIZE	SWM 17mm x LWM - 50mm
6	THICKNESS DIMENSIONS	Strand 2.5mm x Thickness 1.5mm
7	MESH PATTERN	Big Hexagonal
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.35 KGS Approx.
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.5 Kgs Approx.
10	GRID SIZE	24MM/15MM SHILLOUTED GRID
11	POWDER COATING	ANY RAL COLOR
12		

Can be Placed on 15mm/24mm Grid

**METAL TEGULAR 8**



Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material

FIRE REACTION



EEA A2-s1,d0





Can Be Coated to any RAL Colour



Recyclable & Reusable Material







SI. NO.	TECHNICAL DATA SHEET FOR METAL CEILINGS	
1	DESIGN NAME	AMBER-10
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised
3	MATERIAL THICKNESS	1mm
4	MATERIAL TYPE	MS-CRCA
5	MESH OPENING SIZE	SWM 42mm x LWM - 115mm
6	THICKNESS DIMENSIONS	Strand 9mm x Thickness 1mm
7	MESH PATTERN	BIG DIAMOND
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.6 KGS Approx.
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.75 Kgs Approx.
10	GRID SIZE	24MM/15MM SHILLOUTED GRID
11	POWDER COATING	ANY RAL COLOR
12	 	

Can be Placed on 15mm/24mm Grid

**METAL TEGULAR 8**



Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material

FIRE REACTION



EEA A2-s1,d0





Can Be Coated to any RAL Colour



Recyclable & Reusable Material







TECHNICAL DATA SHEET FOR METAL CEILINGS		
1	DESIGN NAME	Cetrine-4
2	STANDARD SIZE OF THE TILE	595mm X 595mm 595mm x 1195mm Can be Customised
3	MATERIAL THICKNESS	1mm/2mm/3mm
4	MATERIAL TYPE	Aluminium 1200 Grade
5	MESH OPENING SIZE	SWM 15mm x LWM - 40mm
6	THICKNESS DIMENSIONS	Strand 4mm x Thickness 3mm
7	MESH PATTERN	SMALL DIAMOND
8	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITHOUT BORDER FRAME	1.5 KGS Approx.
9	WEIGHT OF THE TILE OF SIZE 595mm X 595mm WITH BORDER FRAME	2.75 Kgs Approx.
10	GRID SIZE	AS PER ARCHITECTS INTENT
11	POWDER COATING	ANY RAL COLOR
12	 	

Can be Placed on 15mm/24mm Grid

**METAL TEGULAR 8**



Shape, Design & Size Customisation Available



Fire Resistant & Non Combustable Material

FIRE REACTION



EEA A2-s1,d0



Can Be Coated to any RAL Colour



Recyclable & Reusable Material









**ASIAN  
STRECK  
METALS**

**Quality &  
Customer  
Satisfaction  
since 1962**






















Pre Fabricated Metal Mesh  
Ceiling Panel Lay in Tiles



Good for all T Grids














































Quality &  
Customer  
Satisfaction  
since 1962










**ASIAN  
STRECK  
METALS**

**Quality &  
Customer  
Satisfaction  
since 1962**







Quality &  
Customer  
Satisfaction  
since 1962




**ASIAN  
STRECK  
METALS**











LAY IN TILE (MESH)

□

